



Product Service

CERTIFICATE


No. Z2 18 05 72092 275

Holder of Certificate: Shanghai JA Solar Technology Co., Ltd.

No. 118, Lane 3111,
West Huancheng Road
Fengxian District
201401 Shanghai
PEOPLE'S REPUBLIC OF CHINA



Certification Mark:



Product:

Crystalline Silicon Terrestrial Photovoltaic (PV) Modules
Poly-Crystalline Silicon Photovoltaic Module

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

Test report no.: 704061255401-10

Valid until: 2023-05-06

Date, 2018-05-07

(Zhulin Zhang)

Page 1 of 4





Product Service

CERTIFICATE**No. Z2 18 05 72092 275****Model(s):**

JAP6-72-xxx/3BB, xxx=250 to 330 in step of 5
 JAP6-60-xxx/3BB, xxx=200 to 275 in step of 5
 JAP6-72-xxx/4BB/RE, xxx=305 to 330 in step of 5
 JAP6-60-xxx/4BB/RE, xxx=255 to 280 in step of 5
 JAP6-54-xxx/4BB/RE, xxx=225 to 245 in step of 5
 JAP6-72-xxx/RE, xxx=305 to 330 in step of 5
 JAP6-60-xxx/RE, xxx=255 to 280 in step of 5
 JAP6-72-xxx/4BB, xxx=305 to 330 in step of 5
 JAP6-60-xxx/4BB, xxx=250 to 275 in step of 5
 JAP6(SE)-72-xxx/4BB, xxx=300 to 330 in step of 5
 JAP6(SE)-60-xxx/4BB, xxx=250 to 275 in step of 5
 JAP6(TG)-72-xxx/4BB, xxx=300 to 330 in step of 5
 JAP6(TG)-60-xxx/4BB, xxx=250 to 275 in step of 5
 JAP6(FA)-60-xxx/4BB, xxx=255 to 275 in step of 5
 JAP6(K)-72-xxx/4BB, xxx=305 to 330 in step of 5
 JAP6(K)-60-xxx/4BB, xxx=255 to 275 in step of 5
 JAP6(K)(SE)-60-xxx/4BB, xxx=255 to 275 in step of 5
 JAP6(DG)-60-xxx/4BB/1500V, xxx=250 to 275 in step of 5
 JAP6(DG)-72-xxx/4BB/1500V, xxx=305 to 325 in step of 5
 JAP6(K)(DG)-60-xxx/4BB/1500V, xxx=250 to 275 in step of 5
 JAP6(K)(DG)-72-xxx/4BB/1500V, xxx=305 to 325 in step of 5
 JAP6(K)-60-xxx/4BB/1500V, xxx=255 to 275 in step of 5
 JAP6(K)-72-xxx/4BB/1500V, xxx=305 to 330 in step of 5
 JAP60S01-xxx/SC, xxx=250 to 290 in step of 5
 JAP72S01-xxx/SC, xxx=305 to 345 in step of 5
 JAP60S04-xxx/SC, xxx=255 to 290 in step of 5
 JAP60S05-xxx/SC, xxx=255 to 290 in step of 5
 JAP72S04-xxx/SC, xxx=310 to 345 in step of 5
 JAP72S05-xxx/SC, xxx=305 to 345 in step of 5
 JAP60D00-xxx/SC, xxx=255 to 290 in step of 5
 JAP72D00-xxx/SC, xxx=305 to 345 in step of 5
 JAP72S03-xxx/SC, xxx=320 to 350 in step of 5
 JAP60S03-xxx/SC, xxx=270 to 300 in step of 5
 xxx is standing for rated output power at STC

Parameters:

Rated Output Power	
at STC:	See attachment
Construction:	Framed or Frameless, with Junction box, Cable and Connectors.
Fire Safety Class:	Class C or Class A
Application Class:	Class A
Maximum System Voltage:	1000 V DC or 1500V DC
PID Test Condition:	±1000 V DC, 96h, 60°C, 85% RH or 96h, 85°C, 85% RH ±1500 V DC, 96h, 85°C, 85% RH
PID testing method according to IEC TS 62804-1:2015	

**Tested
according to:**

IEC 61215(ed.2)
 IEC 61730-1(ed.1);am1;am2
 IEC 61730-2(ed.1);am1
 PPP 58042B:2015

**Production
Facility(ies):**

72092, 79395, 72056, 90968, 95903, 97323, 01112

Page 2 of 4

CERTIFICATE

No. Z2 18 05 72092 275



The following models will be covered by above certificate:

Product Service

Maximum System Voltage: 1000 V DC

Model	Rated Output Power at STC
JAP6-72-250/3BB, JAP6-72-255/3BB, JAP6-72-260/3BB, JAP6-72-265/3BB, JAP6-72-270/3BB, JAP6-72-275/3BB, JAP6-72-280/3BB, JAP6-72-285/3BB, JAP6-72-290/3BB, JAP6-72-295/3BB, JAP6-72-300/3BB, JAP6-72-305/3BB, JAP6-72-310/3BB, JAP6-72-315/3BB, JAP6-72-320/3BB, JAP6-72-325/3BB, JAP6-72-330/3BB,	250 W, 255 W, 260 W, 265 W, 270 W, 275 W, 280 W, 285 W, 290 W, 295 W, 300 W, 305 W, 310 W, 315 W, 320 W, 325 W, 330 W,
JAP6-60-200/3BB, JAP6-60-205/3BB, JAP6-60-210/3BB, JAP6-60-215/3BB, JAP6-60-220/3BB, JAP6-60-225/3BB, JAP6-60-230/3BB, JAP6-60-235/3BB, JAP6-60-240/3BB, JAP6-60-245/3BB, JAP6-60-250/3BB, JAP6-60-255/3BB, JAP6-60-260/3BB, JAP6-60-265/3BB, JAP6-60-270/3BB, JAP6-60-275/3BB,	200 W, 205 W, 210 W, 215 W, 220 W, 225 W, 230 W, 235 W, 240 W, 245 W, 250 W, 255 W, 260 W, 265 W, 270 W, 275 W,
JAP6-72-305/4BB/RE, JAP6-72-310/4BB/RE, JAP6-72-315/4BB/RE, JAP6-72-320/4BB/RE, JAP6-72-325/4BB/RE, JAP6-72-330/4BB/RE,	305 W, 310 W, 315 W, 320 W, 325 W, 330 W,
JAP6-60-255/4BB/RE, JAP6-60-260/4BB/RE, JAP6-60-265/4BB/RE, JAP6-60-270/4BB/RE, JAP6-60-275/4BB/RE, JAP6-60-280/4BB/RE,	255 W, 260 W, 265 W, 270 W, 275 W, 280 W,
JAP6-54-225/4BB/RE, JAP6-54-230/4BB/RE, JAP6-54-235/4BB/RE, JAP6-54-240/4BB/RE, JAP6-54-245/4BB/RE,	225 W, 230 W, 235 W, 240 W, 245 W,
JAP6-72-305/RE, JAP6-72-310/RE, JAP6-72-315/RE, JAP6-72-320/RE, JAP6-72-325/RE, JAP6-72-330/RE,	305 W, 310 W, 315 W, 320 W, 325 W, 330 W,
JAP6-60-255/RE, JAP6-60-260/RE, JAP6-60-265/RE, JAP6-60-270/RE, JAP6-60-275/RE, JAP6-60-280/RE,	255 W, 260 W, 265 W, 270 W, 275 W, 280 W,
JAP6-72-305/4BB, JAP6-72-310/4BB, JAP6-72-315/4BB, JAP6-72-320/4BB, JAP6-72-325/4BB, JAP6-72-330/4BB,	305 W, 310 W, 315 W, 320 W, 325 W, 330 W,
JAP6-60-250/4BB, JAP6-60-255/4BB, JAP6-60-260/4BB, JAP6-60-265/4BB, JAP6-60-270/4BB, JAP6-60-275/4BB,	250 W, 255 W, 260 W, 265 W, 270 W, 275 W,
JAP6(SE)-72-300/4BB, JAP6(SE)-72-305/4BB, JAP6(SE)-72-310/4BB, JAP6(SE)-72-315/4BB, JAP6(SE)-72-320/4BB, JAP6(SE)-72-325/4BB, JAP6(SE)-72-330/4BB,	300 W, 305 W, 310 W, 315 W, 320 W, 325 W, 330 W,
JAP6(SE)-60-250/4BB, JAP6(SE)-60-255/4BB, JAP6(SE)-60-260/4BB, JAP6(SE)-60-265/4BB, JAP6(SE)-60-270/4BB, JAP6(SE)-60-275/4BB,	250 W, 255 W, 260 W, 265 W, 270 W, 275 W,
JAP6(TG)-72-300/4BB, JAP6(TG)-72-305/4BB, JAP6(TG)-72-310/4BB, JAP6(TG)-72-315/4BB, JAP6(TG)-72-320/4BB, JAP6(TG)-72-325/4BB, JAP6(TG)-72-330/4BB,	300 W, 305 W, 310 W, 315 W, 320 W, 325 W, 330 W,
JAP6(TG)-60-250/4BB, JAP6(TG)-60-255/4BB, JAP6(TG)-60-260/4BB, JAP6(TG)-60-265/4BB, JAP6(TG)-60-270/4BB, JAP6(TG)-60-275/4BB,	250 W, 255 W, 260 W, 265 W, 270 W, 275 W,
JAP6(FA)-60-255/4BB, JAP6(FA)-60-260/4BB, JAP6(FA)-60-265/4BB, JAP6(FA)-60-270/4BB, JAP6(FA)-60-275/4BB,	255 W, 260 W, 265 W, 270 W, 275 W,
JAP6(K)-72-305/4BB, JAP6(K)-72-310/4BB, JAP6(K)-72-315/4BB, JAP6(K)-72-320/4BB, JAP6(K)-72-325/4BB, JAP6(K)-72-330/4BB,	305 W, 310 W, 315 W, 320 W, 325 W, 330 W,
JAP6(K)-60-255/4BB, JAP6(K)-60-260/4BB, JAP6(K)-60-265/4BB, JAP6(K)-60-270/4BB, JAP6(K)-60-275/4BB,	255 W, 260 W, 265 W, 270 W, 275 W,
JAP6(K)(SE)-60-255/4BB, JAP6(K)(SE)-60-260/4BB, JAP6(K)(SE)-60-265/4BB, JAP6(K)(SE)-60-270/4BB, JAP6(K)(SE)-60-275/4BB,	255 W, 260 W, 265 W, 270 W, 275 W,

CERTIFICATE

No. Z2 18 05 72092 275



Product Service

JAP60S04-255/SC, JAP60S04-260/SC, JAP60S04-265/SC, JAP60S04-270/SC, JAP60S04-275/SC, JAP60S04-280/SC, JAP60S04-285/SC, JAP60S04-290/SC,	255 W, 260 W, 265 W, 270 W, 275 W, 280 W, 285 W, 290 W,
JAP60S05-255/SC, JAP60S05-255/SC, JAP60S05-265/SC, JAP60S05-270/SC, JAP60S05-275/SC, JAP60S05-280/SC, JAP60S05-285/SC, JAP60S05-290/SC,	255 W, 260 W, 265 W, 270 W, 275 W, 280 W, 285 W, 290 W,
JAP72S04-310/SC, JAP72S04-315/SC, JAP72S04-320/SC, JAP72S04-325/SC, JAP72S04-330/SC, JAP72S04-335/SC, JAP72S04-340/SC, JAP72S04-345/SC,	310 W, 315 W, 320 W, 325 W, 330 W, 335 W, 340 W, 345 W,
JAP72S05-305/SC, JAP72S05-310/SC, JAP72S05-315/SC, JAP72S05-320/SC, JAP72S05-325/SC, JAP72S05-330/SC, JAP72S05-335/SC, JAP72S05-340/SC, JAP72S05-345/SC,	305 W, 310 W, 315 W, 320 W, 325 W, 330 W, 335 W, 340 W, 345 W,
Maximum System Voltage: 1500 V DC	
Model	Rated Output Power at STC
JAP6(DG)-60-250/4BB/1500V, JAP6(DG)-60-255/4BB/1500V, JAP6(DG)-60-260/4BB/1500V, JAP6(DG)-60-265/4BB/1500V, JAP6(DG)-60-270/4BB/1500V, JAP6(DG)-60-275/4BB/1500V	250 W, 255 W, 260 W, 265 W, 270 W, 275 W,
JAP6(DG)-72-305/4BB/1500V, JAP6(DG)-72-310/4BB/1500V, JAP6(DG)-72-315/4BB/1500V, JAP6(DG)-72-320/4BB/1500V, JAP6(DG)-72-325/4BB/1500V,	305 W, 310 W, 315 W, 320 W, 325 W,
JAP6(K) (DG)-60-250/4BB/1500V, JAP6(K) (DG)-60-255/4BB/1500V, JAP6(K) (DG)-60-260/4BB/1500V, JAP6(K) (DG)-60-265/4BB/1500V, JAP6(K) (DG)-60-270/4BB/1500V, JAP6(K) (DG)-60-275/4BB/1500V,	250 W, 255 W, 260 W, 265 W, 270 W, 275 W,
JAP6(K) (DG)-72-305/4BB/1500V, JAP6(K) (DG)-72-310/4BB/1500V, JAP6(K) (DG)-72-315/4BB/1500V, JAP6(K) (DG)-72-320/4BB/1500V, JAP6(K) (DG)-72-325/4BB/1500V,	305 W, 310 W, 315 W, 320 W, 325 W,
JAP6(K)-60-255/4BB/1500V, JAP6(K)-60-260/4BB/1500V, JAP6(K)-60-265/4BB/1500V, JAP6(K)-60-270/4BB/1500V, JAP6(K)-60-275/4BB/1500V,	255 W, 260 W, 265 W, 270 W, 275 W,
JAP6(K)-72-305/4BB/1500V, JAP6(K)-72-310/4BB/1500V, JAP6(K)-72-315/4BB/1500V, JAP6(K)-72-320/4BB/1500V, JAP6(K)-72-325/4BB/1500V, JAP6(K)-72-330/4BB/1500V,	305 W, 310 W, 315 W, 320 W, 325 W, 330 W,
JAP60D00-255/SC, JAP60D00-260/SC, JAP60D00-265/SC, JAP60D00-270/SC, JAP60D00-275/SC, JAP60D00-280/SC, JAP60D00-285/SC, JAP60D00-290/SC,	255 W, 260 W, 265 W, 270 W, 275 W, 280 W, 285 W, 290 W,
JAP72D00-305/SC, JAP72D00-310/SC, JAP72D00-315/SC, JAP72D00-320/SC, JAP72D00-325/SC, JAP72D00-330/SC, JAP72D00-335/SC, JAP72D00-340/SC, JAP72D00-345/SC,	305 W, 310 W, 315 W, 320 W, 325 W, 330 W, 335 W, 330 W, 335 W,
Maximum System Voltage: 1000 or 1500 V DC	
Model	Rated Output Power at STC
JAP60S01-250/SC, JAP60S01-255/SC, JAP60S01-260/SC, JAP60S01-265/SC, JAP60S01-270/SC, JAP60S01-275/SC, JAP60S01-280/SC, JAP60S01-285/SC, JAP60S01-290/SC,	250 W, 255 W, 260 W, 265 W, 270 W, 275 W, 280 W, 285 W, 290 W,
JAP72S01-305/SC, JAP72S01-310/SC, JAP72S01-315/SC, JAP72S01-320/SC, JAP72S01-325/SC, JAP72S01-330/SC, JAP72S01-335/SC, JAP72S01-340/SC, JAP72S01-345/SC,	305 W, 310 W, 315 W, 320 W, 325 W, 330 W, 335 W, 340 W, 345 W,
JAP72S03-320/SC, JAP72S03-325/SC, JAP72S03-330/SC, JAP72S03-335/SC, JAP72S03-340/SC, JAP72S03-345/SC, JAP72S03-350/SC,	320 W, 325 W, 330 W, 335 W, 340 W, 345 W, 350 W,
JAP60S03-270/SC, JAP60S03-275/SC, JAP60S03-280/SC, JAP60S03-285/SC, JAP60S03-290/SC, JAP60S03-295/SC, JAP60S03-300/SC,	270 W, 275 W, 280 W, 285 W, 290 W, 295 W, 300 W,